

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**


**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

## FIG. 1A


Excised at  $-50\text{mV}$



2 minutes after excision,  $1\text{mM}$  ATP in the bath,  $-80\text{mV}$




2 minutes later,  $+80\text{mV}$




## FIG. 1B

Excised at  $-50\text{mV}$



2 minutes after excision,  $1\text{mM}$  ATP in the bath,  $-80\text{mV}$



2 minutes later,  $+80\text{mV}$



FIG. 2A




FIG. 2B




FIG. 3




FIG. 4A





FIG. 4B

FIG. 4C





FIG. 4D

FIG. 5A





FIG. 5B

FIG. 5C





FIG. 5D

FIG. 5E




FIG. 5F


CFPAC  
-THAPS

CFPAC  
+THAPS  
T84



◀170kDa

FIGURE 6



**FIGURE 7**








FIGURE 8




FIGURE 9




FIGURE 10A





FIGURE 10B

Figure 11








FIGURE 11D

**Figure 12**



**Figure 13**








FIGURE 14